


**OMSHIVAM**  
PACKAGING PVT LTD



A box may simply be viewed as container, yet we understand it plays a much greater role.



## ABOUT US

The packaging industry has always been mushrooming, and a strong head joined as Shivam Packaging in 2003 and is now well known as Omshivam Packaging Pvt Ltd as of 2020. **We are one of the leading manufacturing Unit with complete in-house production facilities spread over a total area of 85,000 Sq.ft.** to supply color cartons, e-fluted cartons, corrugated display cartons & shippers. **Today we are consistently catering to our clients since past two decades.**

The smooth management of this industry is possible due to the guidance **of Mr. Sunilkant Singh, a visionary who works as a catalyst for the company to grow in leaps and bounds.** Beginning with a small unit, today moved on to enhance facilities equipped with the best of technologies available in the industry.

The unit is centrally located in **one of the major industrial hub of Gujarat** with easy connectivity by Road & Rail with whole part of country. Also **the availability of Air & Sea Ports within the range of 150 Kms** not only this but at our end, **a team of expert's works in alignment with modern technology** to satiate the needs of our clients till the core. **We offer a plethora of products array to over 30 clients ranging from FMCG, Pharmaceuticals, Food & Beverages, Garments, electrical & electronics industries.**

## Infrastructure

Since we are located in the semi-urban area **our reach to all segments is easy and convenient.** The unit is in the front porch having all necessary machines and tools with which the employees **can deliver class apart products.** We have brought at aisle a roadmap to never miss out on anything important and also be at par with set standards.

Apart from having a strict management system to look after the quality concerns we also have zero defect producing infrastructure settings. To add to the confidence we have a warehouse that is well stocked and is segmented as per departments to look after each and every node of lodging and retrieval. **All the stages; cutting, printing, stitching, production and checking are always done with utmost precision.**

## Mission

To establish ourselves as a reliable and innovative packaging solution provider with modern technology by maintaining a reputation in achieving high standards of quality, affordable cost and timely delivery.

## Vision

We want to be a preferred and recognised supplier in paper based packaging industry thereby fulfilling all stakeholders needs and expectations.



## Why Choose Us ?

Packaging industry has always been a mushrooming one and a strong head joined the march in the form of **Omshivam Packaging Pvt Ltd in the year 2004.** Today they manufacture corrugated boxes in a fair count. **Located in the Mecca of industries, Vapi G.I.D.C,** it is today able to secure a sound position since it has always considered the worth of being updated technologically and related shifts.

**The need of the hour is to work in accord with globalization and Omshivam Packaging Pvt Ltd has left no leaf unturned to get it right and straight.**



# Content

---

- ▶ About Us 02
- ▶ Why Choose Us? 03
- ▶ Single Face corrugation Machine 05-07
- ▶ Two Color Printer Slotter 08
- ▶ Automatic Flute Laminating Machine  
5 Ply/ 3 Ply / 2 Ply 09
- ▶ Thin Blade Slitter & Scorer : Model 2000mm  
Rotary Die Cutter Machine 10
- ▶ High Speed Double Servo Semi  
Auto Box Stitiching Machine 11
- ▶ Quality Contol Machines 12-13
- ▶ Product Applications 14
- ▶ Our Clients 15



# 01

## SINGLE FACE CORRUGATION MACHINE



### SIZE: 1600mm

Complete with 'Narrow' Flute rolls with speed control electricals and control panel, three heaters and two pre-heater. Corrugation machine with advance inner absorb technique resulting in good finish at high speed. Chain Drive

<b>Motor Power</b>	: 7.5 kw
<b>Heating</b>	: Steam Heating
<b>Total Power</b>	: 72 kw
<b>Flute Profile</b>	: Narrow Flute
<b>Max. machine speed</b>	: 60m/min
<b>Economic speed</b>	: 45m/min
<b>Max. working width</b>	: 1600mm
<b>Power requirements</b>	: 415V, 50Hz
<b>Diameter of Corrugated roller</b>	: 280mm
<b>Diameter of Press roller</b>	: 285mm

#### Machine Introduction:

1. Design speed : 60m/min  
Working Speed : 45m/min
2. Corrugated rollers made of 480CrMo, with heat treatment for hardness HRC60, surface plated with chrome treatment.


#### Shaftless Electric Mill Roll Stand :

<b>Max Diameter</b>	: 1600 mm
<b>Max. Support Weight</b>	: 2T

#### NC Rotary Sheet Cutter With PLC Control System:

<b>Size : 1600mm</b>	
<b>Max. Cutting Width</b>	: 1600mm
<b>Min. Cutting Width</b>	: 150mm or less
<b>Max. Cutting Length</b>	: 300 to 9999mm
<b>Cutting Accuracy</b>	: ± 1mm
<b>Min. Speed</b>	: 70-80m/min
<b>Power</b>	: 3kw

MANUFACTURING  
FACILITY



02

**SINGLE FACE  
CORRUGATION  
MACHINE**



**SIZE: 1200mm**

Complete with 'E' Flute rolls with speed control electricals and control panel, three heaters and two pre-heater. Corrugation machine with advance inner absorb technique resulting in good finish at high speed. Chain Drive

<b>Motor Power</b>	: 7.5 kw
<b>Heating</b>	: Steam Heating
<b>Total Power</b>	: 72 kw
<b>Flute Profile</b>	: E Flute
<b>Max. machine speed</b>	: 60m/min
<b>Economic speed</b>	: 45m/min
<b>Max. working width</b>	: 1200mm
<b>Power Equipments</b>	: 415V, 50Hz

<b>Shaftless Electric Mill Roll Stand :</b>	
<b>Max Diameter</b>	: 1200 mm
<b>Max. Support Weight</b>	: 2T

<b>Reel to Sheet Cutter:</b>	
<b>Size : 1200mm</b>	
Gear Changing model, complete with one set of gears AC drive and electricals.	



03

**SINGLE FACE  
CORRUGATION  
MACHINE**



**SIZE: 1600mm**

Complete with 'C' Flute rolls with speed control electricals and control panel, three heaters and two pre-heater. Corrugation machine with advance inner absorb technique resulting in good finish at high speed. Chain Drive

<b>Motor Power</b>	: 7.5 kw
<b>Heating</b>	: Steam Heating
<b>Total Power</b>	: 72 kw
<b>Flute Profile</b>	: Narrow Flute
<b>Max. machine speed</b>	: 60m/min
<b>Economic speed</b>	: 45m/min
<b>Max. working width</b>	: 1600mm
<b>Power requirements</b>	: 415V, 50Hz
<b>Diameter of Corrugated roller</b>	: 280mm
<b>Diameter of Press roller</b>	: 285mm

**Machine Introduction:**

1. **Design speed** : 60m/min  
**Working Speed** : 45m/min
2. Corrugated rollers made of 480CrMo, with heat treatment for hardness HRC60, surface plated with chrome treatment.


**Shaftless Electric Mill Roll Stand :**

<b>Max Diameter</b>	: 1600 mm
<b>Max. Support Weight</b>	: 2T

**NC Rotary Sheet Cutter With PLC Control System:**

<b>Size : 1600mm</b>	
<b>Max. Cutting Width</b>	: 1600mm
<b>Min. Cutting Width</b>	: 150mm or less
<b>Max. Cutting Length</b>	: 300 to 9999mm
<b>Cutting Accuracy</b>	: ± 1mm
<b>Min. Speed</b>	: 70-80m/min
<b>Power</b>	: 3kw

MANUFACTURING  
FACILITY



04

TWO COLOR

PRINTER SLOTTER :

1470X2600

**Complete with all electricals & standard Tools**  
**Feeding Unit : Chain Feeding**

**Technical Parameters**

<b>Paper Coverage Area</b>	: 1470mm × 2400mm
<b>Effective Printing</b>	: 1470mm × 2200mm
<b>Min.finish Size</b>	: 400mm × 640mm
<b>Printing Plate Thickness</b>	: 7.2mm
<b>Max. Speed</b>	: 60 sheets / min
<b>Economic speed</b>	: 40 sheets / min
<b>Slotting Precision</b>	: ±1.5mm
<b>Printing Precision</b>	: ±1.5mm

- Synchronised manual movement of slotting & creaser unit.
- Ink Pipe of 50 mm
- Superior Electrical Wiring, Switches.
- Variable Speed Drive, Control Panel etc.
- Heavy Duty & Sturdy Model.

MANUFACTURING  
FACILITY



05

**AUTOMATIC FLUTE  
LAMINATING MACHINE  
5 PLY/ 3 PLY**

**Specification :**

**Max. Sheet Size (W X L)** : 1650 mm x 1450 mm  
**Min. Sheet Size** : 4500mm  
**Thickness of Upper Paper** : 150~800g/m<sup>2</sup>  
**Thickness of Bottom Paper** : 2000kg  
**Machine Speed** : 0~80m/min

**Accuracy** : ±2.5mm / m<sup>2</sup>  
**Machine Space** : 17852 L X 2650 W X 2600H  
**Power** : 380V 30HP  
**Weight** : 9800 Kg



06

THIN BLADE

SLITTER & SCORER :

MODEL 2000MM



The unit includes paper feeding , slitting and creasing with paper roller , to meet the requirement of different cartons on slitting and creasing.

**Technical  
Parameters**

Feeding Width	: 2000
Minimum Slitting Width	: 120mm
Minimum Creasing Width	: 40mm
Slitting Paper Ply	: 1-12 mm
Feeding Speed (m/min)	: 150
Blade Diameter	: 260mm
Air pressure(mpa)	: 0.2
Power (kw)	: 4



07

ROTARY DIE

CUTTER MACHINE



**Size : 1400 x 1600 mm**  
Electrical, CUE Anvil covers.

**Thickness** : 2-11 mm  
**Minimum Feed Size** : 400 x 600 mm



# 08

## HIGH SPEED DOUBLE SERVO SEMI AUTO BOX STITICHING MACHINE

### Features :

- One minute quick order change.
- Easy operation no training is necessary.
- Single, double supplement stitching are available.
- Automatic Center Ejector.
- Touch Screen Operare.
- Adopt Servo System
- Nail Spain : 100mm
- Stiching whatever the carton have cover or not.
- Nail Span can set up directly in the touch screen.
- Auto adjust paperboard thickness.

### Specification :

Power	: 6HP
Length	: 4500mm
Width	: 2100mm
Weight	: 2000kg
Speed	: 450 Staples
Stitching Machine	: 30-70mm
Number of Stitching	: 1-99 stitches

# BS MACHINE

# 09

## Quality Control Machines



# CS MACHINE



## UBIQUE PAPER MOISTURE MACHINE

**UNIQUE  
COBB  
TESTER**

**10**  
**Quality Control  
Machines**


**GSM TESTER**




**WEIGHING SCALE  
MACHINE UPTO  
5KG/3KG**



# Product Applications



# Our Clients





**Omshivam Packaging Pvt.Ltd**

Survey No.315/39/1/1, Plot No. M-16, Morai Industrial Park,  
Village Morai, Vapi-396191, Dist Valsad.(gujarat) India.



info@omshivampack.com  
admin@omshivampack.com



+91 9879517748 / +91 7980911108



www.omshivampack.com